

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
 SDS ID: 50075  
 Issue date: 1/26/2009 Revision date: 9/26/2023 Supersedes: 5/26/2015 Version: 3.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Trade name : ULTRAFOAM RV AWNING CLEANER  
 Product code : 36892-TC

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Vehicle maintenance

#### 1.3. Supplier

##### Manufacturer

Theftford LLC  
 7101 Jackson Road  
 Ann Arbor, MI 48103  
 USA  
 T (734) 769-6000  
[sds@thetford.com](mailto:sds@thetford.com)

#### 1.4. Emergency telephone number

Country	Organization/Company	Address	Emergency number	Comment
USA	CHEMTREC - 24/7		(800) 424-9300	

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Serious eye damage/eye irritation Category 2 H319 Causes serious eye irritation  
 Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning  
 Hazard statements (GHS US) : H319 - Causes serious eye irritation  
 Precautionary statements (GHS US) : P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 - If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

No additional information available

# ULTRAFOAM RV AWNING CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : Mixture of the following ingredients with non hazardous additions.

Name	Product identifier	%	GHS US classification
C9-11 ALKYL GLUCOSIDE	CAS-No.: 132778-08-6	1 – 5	Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Gently wash with plenty of soap and water.  
First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. Get immediate medical advice/attention.  
First-aid measures after ingestion : Do NOT induce vomiting. Drink plenty of water. If you feel unwell, seek medical advice.

#### 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.  
Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray.

#### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

# ULTRAFOAM RV AWNING CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency procedures : No flames, no sparks. Eliminate all sources of ignition.

### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up small spills with water. Soak up larger spills with absorbent material. Place used absorbent in closed containers for disposal. Mop the area with plenty of cold, clean water. Dispose of in accordance with federal, state, and local regulations.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash thoroughly after handling. Keep away from sources of ignition - No smoking. Spilled material may be slippery. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from ignition sources. Do not freeze.  
Incompatible products : Strong bases. Strong acids.  
Storage temperature : > 32 – < 100 °C (32 - 100°F)

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### ULTRAFOAM RV AWNING CLEANER

No additional information available

#### C9-11 ALKYL GLUCOSIDE (132778-08-6)

No additional information available

### 8.2. Appropriate engineering controls

No additional information available

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

# ULTRAFOAM RV AWNING CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Personal protective equipment symbol(s):



### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Color	: Colorless
Odor	: Detergent.
Odor threshold	: No data available
pH	: 10.5 – 11.5
Melting point	: No data available
Freezing point	: 0 °C (32°F)
Boiling point	: 99 °C (210°F)
Flash point	: > 200 °F (>93°C)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 1.013 – 1.023 g/ml
Molecular mass	: > g/mol
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 250 – 350 cP
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

# ULTRAFOAM RV AWNING CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### C9-11 ALKYL GLUCOSIDE (132778-08-6)

LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Not classified  
pH: 10.5 – 11.5  
Serious eye damage/irritation : Causes serious eye irritation.  
pH: 10.5 – 11.5  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified

#### C9-11 ALKYL GLUCOSIDE (132778-08-6)

NOAEL (oral,rat,90 days)	≥ 1000 mg/kg body weight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
--------------------------	---

Aspiration hazard : Not classified  
Viscosity, kinematic : No data available  
Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.  
Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

# ULTRAFOAM RV AWNING CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 12: Ecological information

#### 12.1. Toxicity

##### C9-11 ALKYL GLUCOSIDE (132778-08-6)

LC50 - Fish [1]	2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)

#### 12.2. Persistence and degradability

##### ULTRAFOAM RV AWNING CLEANER

Persistence and degradability	Not established.
-------------------------------	------------------

#### 12.3. Bioaccumulative potential

##### ULTRAFOAM RV AWNING CLEANER

Bioaccumulative potential	Not established.
---------------------------	------------------

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : The generation of waste should be avoided or minimized wherever possible. Waste disposal should be in accordance with existing federal, state and local regulations. Empty containers should be rinsed and taken to an approved waste handling site for recycling or disposal.

### SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not regulated  
Proper Shipping Name (TDG) : Not regulated  
Proper Shipping Name (IMDG) : Not regulated  
Proper Shipping Name (IATA) : Not regulated

#### 14.3. Transport hazard class(es)

**DOT**  
Transport hazard class(es) (DOT) : Not regulated

**TDG**  
Transport hazard class(es) (TDG) : Not regulated

# ULTRAFOAM RV AWNING CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### IMDG

Transport hazard class(es) (IMDG) : Not regulated

### IATA

Transport hazard class(es) (IATA) : Not regulated

### 14.4. Packing group

Packing group (DOT) : Not regulated  
Packing group (TDG) : Not regulated  
Packing group (IMDG) : Not regulated  
Packing group (IATA) : Not regulated

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

#### DOT

Not regulated

#### TDG

Not regulated

#### IMDG

Not regulated

#### IATA

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### ULTRAFOAM RV AWNING CLEANER

SARA Section 311/312 Hazard Classes	Health hazard - Serious eye damage or eye irritation
-------------------------------------	--

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
C9-11 ALKYL GLUCOSIDE	132778-08-6	Present	Active	PMN

### 15.2. International regulations

No additional information available

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 9/26/2023

Other information : None.

# ULTRAFOAM RV AWNING CLEANER

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

Full text of H-phrases	
H318	Causes serious eye damage
H319	Causes serious eye irritation

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.